HOW TO ADD GEORGIA GOOGLE IMAGERY TO GUPS

0

Q



2.8.

	C (COS 23.3 Wen Prance Edit Was Layer Settings Rugas Incher Rader Database With Prachase		
Ready		Image: Solution of the solution of	
	Resty	Scordinate:	Scale 1:190,990 V Ratation: 0.0

For directions on how to download GUPS software please go to: <u>https://www.census.gov/programs-surveys/bas/technical-documentation/gups-instructions.html</u>

2. UNDER "PROGRAM" IN THE DROP DOWN MENU, SELECT "LOCAL UPDATE OF CENSUS ADDRESSES"

(/ Q05283-Wen			
Proct. 15. Nov live Samp Prov. Know Datase 16. Proving Ho GPS			
	서 🖸 🖉 및 * 114 * 🥵 위 🗉 🖾 🖷 * 💆 🗗 111 *		
Layers E B			
			5
			1
	Map Management		
	Support Project ZP file		
	Program Sriect *		1
	Sub Program Select Boundary and Approximation Survey		
	State Local Update of Centus Addenses		
	Warking County Voting District Project		1
			-
	and Open Cancel		- un
			\$
			L
			-
Ready	& Coordinate:	Scale (1:950,990 🕶 Rotation: 0.0	
			• P R 10 1212 PM

 \bigcirc

3. CLOSE THE MAP MANAGEMENT WINDOW BY CLICKING ON THE "X" IN THE RIGHT CORNER

(/ Q05283.Wen			(/ QG5 2.8.3 Wen		
0 🖻 🖩 🖓 🖓 🐹 🍃 🕙	Datase We heating 19 5/5 중 20 10 10 10 10 10 10 10 10 10 10 10 10 10		Padd Di We Ling Schup No	** *** Tarle Tarles We housey No 07 ***********************************	
	2 目 13			通信法处理法	
			0 🐑 💎 🖬 🔒		
	Map Masagement With Masagement Select Data Fidus, Directory or Location With Masagement				
	ð			6 Testion A 10 A 10	Seale and and an Deleter an A Churcher (Street and
	VS X N P3 P3 V 0	- P & C (121)PM		0 02 V9 X N P9 12 4 0	• * # ⊕ 4 1224PM

4. IN THE TOP TOOLBAR SELECT "LAYER"

🥂 QGIS 2.8.3-Wien					_			-						-		- 0 ×
Project Edit View	Layer Settings Plugins Ve	ector Raster I	Database Web I	Processing Help GL	PS											
🗋 📄 📄	Create Layer Add Layer	,	🗢 🖈 🔎	P 🎵 💬	P R R 1	3 🔍 (3 5 - 2 - 2		🔎 📫 📫	T						
N 🕁 » 🛙	Embed Layers and Groups		SA ATA ATA													
	Add from Layer Definition File.															
A 💿 🤝	Copy style															
V V	Paste style															
	Open Attribute Table															
	Toggle Editing															
	Current Edits	+														
	Favo Ao															
	Save As Save As Layer Definition File															
	Remove Layer/Group	Ctrl+D														
	Duplicate Layer(s)															
	Set Scale Visibility of Layer(s)	Ctrl_shift_c														
	Set Project CRS from Layer	Curronitere														
	Properties															
	Query	Ctrl+F														
	Labeling															
	Add to Overview															
	Remove All from Overview															
	Show All Laword	CHUCHEUU														
	Hide All Lavers	Ctrl+Shift+H														
	Show Selected Layers															
	Hide Selected Layers															
								S Coordinate:		-1.627,0.701	Scale 1:	949,968 👻	Rotation: 0.0	A Re	nder 🔘 EPS	G: 4 269 🗨
	6 0		/ 🕅 🔀 👔	N P3										<u></u>	• @ 12_4	12:26 PM

5. NEXT SELECT "ADD LAYER"

🙋 QGIS 2.8.3-Wien					_			_						l l	- 0 ×
Project Edit View	Layer Settings Plugins Vec	ctor Raster D	Database Web Processing	Help GUPS											
🗅 👝 🗐	Create Layer	•	🄼 🗛 🖨 🖽 🖲			0.0-1	3		n 1 n	T					
	Add Layer	•	V _D Add Vector Layer	Ctrl+Shift+V		-13 -23 :	1/30		~ ····· 🔛 ·······						
N 🖘 » 🗎	Embed Layers and Groups		📕 Add Raster Layer	Ctrl+Shift+R											
	Add from Layer Definition File.		🤻 Add PostGIS Layers	Ctrl+Shift+D											
Layers	Copy style	1	🎤 Add SpatiaLite Layer	Ctrl+Shift+L											
1 🔍 🔻 🗄	📱 📄 Paste style	3	隢 Add MSSQL Spatial Layer	Ctrl+Shift+M											
	Coep Attribute Table		🖳 Add Oracle Spatial Layer	Ctrl+Shift+O											
	/ Toggle Editing	6	🚱 Add WMS/WMTS Layer	Ctrl+Shift+W											
	Save Laver Edits	•	🔩 Add Oracle GeoRaster Layer.	.											
	// Current Edits		🔄 Add WCS Layer	I											
	py concilcato		🕼 Add WFS Layer	I											
	Save As	1	Add Delimited Text Layer												
	Save As Layer Definition File														
	Remove Layer/Group	Cm+D													
	Set Scale Visibility of Laver(s)														
	Set CRS of Laver(s)	Ctrl+Shift+C													
	Set Project CRS from Layer														
	Properties														
	Query	Ctrl+F													
	and Labeling														
	Add to Overview														
	Add All to Overview														
	Remove All from Overview														
	Show All Layers	Ctrl+Shift+U													
	Hide All Layers	Ctrl+Shift+H													
	Show Selected Layers														
	Hide Selected Layers														
								A							
								Coordinate:		0.876,1.083	Scale 1:949,9	Rotation:	0.0	 Render EPS 	6G:4269 🗬
						-									40.07.014

1/22/2018

🧿 🖸 🔯 V🛛 XI 🚺 P3 📴 WI 🧭

6. SELECT "ADD WMS/WMTS LAYER"

🌾 QGIS 2.8.3-Wien		_					
Project Edit View Layer Settings Plugins Vector Raster	Database Web Processing He	elp GUPS					
🕞 🛌 🔲 🚺 Create Layer	· 🎿 🛖 🖨 🖽 🛤		0 0 - N - C	8. = # +	- -		
Add Layer	່ 🖓 Add Vector Layer C	Ctrl+Shift+V 🖊 🖾 🖉 🔛					
Embed Layers and Groups	Add Raster Layer C	Ctrl+Shift+R					
Add from Layer Definition File	Real Add PostGIS Layers C	Ctrl+Shift+D					
Layers Copy style	Radd SpatiaLite Layer C	Ctrl+Shift+L					
🗇 🔍 🍸 📴 Paste style	Madd MSSQL Spatial Layer C	Ctrl+Shift+M					
Onen Attribute Table	R Add Oracle Spatial Layer C	Ctrl+Shift+O					
	🎕 Add WMS/WMTS Layer C	Ctrl+Shift+W					
Save Laver Edits	🗬 Add Oracle GeoRaster Layer						
// Current Edits	Add WCS Layer						
77	Mdd WFS Layer						
Save As	Add Delimited Text Layer						
Save As Layer Definition File							
Duplicate Laver(s)							
Set Scale Visibility of Laver(e)							
Set CRS of Laver(s) Ctrl+Shift+C							
Set Project CRS from Layer							
Properties							
Query Ctrl+F							
Cabeling							
Add to Overview							
Add All to Overview							
Remove All from Overview							
Chara All avera							
Hide All I avere Ctrl±Chift±H							
Show Selected Layers							
Hide Selected Layers							
				Coordinate:	0.876,1.083	Scale 1:949,968 ♥ Rotation: 0.0	Render DEPSG:4269
			4				
	V 🖇 🛛 🕺 🕺 🕺	P3 P2 w] 🔍	2				▲ 🖿 🛱 🛄 🌓 1/22/2019

7. PRESS "NEW", NAME THE LAYER, AND ADD YOUR UNIQUE IMAGERY URL, CLICK OK

// OSE 233 Wei		- 19 22		
	· E む 🖕 🗣 = 三 田 🦉 🧶 - 図 - 多 🔊 😂 R R R R R R R R R R R R R R R R R R		·同口 (1 0 · = 三 三 2 · - 回 · 9 · 9 · 10 · 6 · 6 · 10 · 7 · 4 · 7 · 7 · 7 · 7 · 7 · 7 · 7 · 7	
			9.6	
	Add Laye(c) from a WMX7/ Server P		Add Laged(s) from a WM0755 Sener	0 22
	Lord Law Dela Norry Grave Setting Seting Setting Setting Setting Setting Setting Setting Setting Sett		umm Landback V Li Greeps of undersone V Li Li Greeps of undersone V Li Li Ormet Li Li Li Li D Net Li Li Li Li	8 ##
	- branc modeling		The provide regret back suffer faultion, where a user name and optimal password User name Programmating Faulty memory Faulty memory Faulty memory	
	Oktroni The same Postar like für Geffenkundtrån NIGD3 Oktropit		Oklime QF1 Hode QF1 The core given Existing Critic ULT reported in capabities Feature link for Critic given Existing Critic ULT reported in capabities MOR33 given Existing Critic ULT reported in capabities	
	Least name Ann X Come Statement			
3 1 C 9 0 00 VS	Scherkener -1.5111.000 Scher (1940,668 🐨) Ansterne -	00 € ⊀ factor © 9%5-000 € - * @ D ← 22.00M	Conducte	500 [100,05 ¥ Bitston 0.0 \$ ¥ Bitston 0.0 \$ 200,000 €
9				Q
/ ?	Your unique imagery URL will con service. It will look similar to this:	me to you in an email after	you have registered for the	
// 0	WMTS: https://georgia	-giza.appgeo.com/login/p	ath/{insert-unique-quad-	

word}/wmts/1.0.0/WMTSCapabilities.xml

8. TO CONNECT TO YOUR NEW LAYER SELECT THE NEW LAYER NAME, PRESS CONNECT

A5223 Wei			V Q05283 Wen		

	Mod Layed(s) fram x WM(1)S Somer Image: Compare the source of the so	Safe Language V Radiant @ 1050-400		Add Laperig from a WM0705 Server Underson Land Constraints Import Fromat Tale group marging group marging George2D0 talabager data Laper name Laper name Solution for Solution Solution for Solution	
	VB X3 N3 P3 P3 V3 Q	- ► ¥r t5 € 1209M		& Conditate: 4.511,1.092	Scale 1949,563 V Rotation: 0.0 V Render 0 0550-339

r

9. SELECT THE "TILESET", AND CLICK ADD. THE IMAGERY WILL APPEAR BEHIND THE WINDOW PANE

52.83-Wien				/ 003283 Wen			09.8
📁 🖩 🗟 🕞 🔍 🐹 🦮 💽 Ö	· · · · · · · · · · · · · · · · · · ·			0 🖿 🖩 🗟 🖓 🖏 🦌 🔄 🕈 🖇	• 🗊 🖓 💭 • = 📰 📰 🕹 📲 • 🔝 • 🕲 🕲 🕲 🕲 • 💹 • 🐻 • 🔛 • 💭 🔞 • 🖾 •		
* * 116 116 118 116 115 115 115	角頭語				A 18		
······································				0 🧟 🕈 🖬 🖬 🖬			
				= 🗸 🎥 Georgadilo State Imagery			
	Add Lage(s) from a WM(T)S Server				K Add Leyer(s) from a WM(T)S Server		
	ng ♥ format Title Style Tileset (RS				yr * Format Title Style Tileset CRS		
	googe megacipro GeorgeaClo seate megany tertexit (de.20 (2006)3617.				ooogle (magetaria) Starger(20.5tate Imager) default (36:00) (555:3537		
	Later failer (Research Thate Issues)				Liver name Constation State Instance		
	Add X Cose				Add X Cose	20mp	
	Teset selected				Tileset selected Add selected layers to map		
	Coordinate:511,100	Scale 1949,000 V Relation: 0.0 V Renar O D'So-	1209 PM			1940 Scall (177/60/104 •) Konson [0.0	1240 PM
			1/21/2018				

10. SELECT CLOSE ON THE WINDOW PANE. YOU ARE NOW READY TO USE THE WMTS SERVICE



